



序号	种类	新国标	中国	美国			欧洲		日本	法国	国际标准	瑞典	俄罗斯	
		GB1220-2007	(GB1220-92)	ASTM	UNS	SAE	(DIN)	EN10088:1/EN10095	(JIS)	(NF)	(ISO)	(SS14)	(TOCT)	
45	奥氏体 铁素体型 钢(双相钢)	06Cr26Ni4Mo2	0Cr26Ni5Mo2	S22693	329	S32900	—	X8CrNiMo275	SUS329J1	—	—	2324	08X21H6M2T	
46		14Cr18Ni11Si4AlTi	1Cr18Ni11Si4AlTi	—	—	—	—	—	—	—	—	—	15X18H12C4TiO	
47		12Cr21Ni5Ti	1Cr21Ni5Ti	—	—	—	—	—	—	—	—	—	12X21H5T	
48		022Cr19Ni5Mo3Si2N	00Cr18Ni5Mo3Si2	S21953	3RE60	S31500	—	1.4417	—	DP11	—	—	SS2376	—
49		022Cr22Ni5Mo3N	00Cr22Ni5Mo3N	S22253	F51	S31803	—	1.4462	X2CrNiMoN22-5-3	SUS329J3L/DP8	UR45N	—	SS2377	—
50		022Cr23Ni5Mo3N	—	S22053	F60	S32205	2205	—	—	—	—	—	—	—
51		022Cr25Ni7Mo4N	00Cr25Ni7Mo4N	S25073	F53	S32750	2507	1.4410*	X2CrNiMoN25-7-4	—	UR47N+	—	SS2328	—
52		03Cr25Ni6Mo3Cu2N	—	S25554	F61	S32550	255	1.4507	X2CrNiMoCuN25-6-3	SUS329J4L/DP8	UR52N+	—	SS2328	—
53		022Cr25Ni7Mo4CuWN	00Cr25Ni7Mo4CuWN	S27063	F55	S32760	—	1.4501	X2CrNiMoWN25-7-4	—	—	—	—	—
54		022Cr23Ni4MoCuN	00Cr23Ni4N	S23043	—	S32304	2304	1.4362	X2CrNiMoN23-4	DP11	UR35N	—	—	—
55	022Cr25Ni6Mo2N	—	S22553	—	S31200	—	1.4460*	X3CrNiMoN27-5-2	—	—	—	—	—	
56	—	00Cr24Ni6Mo3N	—	—	—	—	—	—	—	—	—	—	—	